



LED Filament Lamp Series

TCP's Filament style lamps combine LED technology with the elegance of an exposed filament aesthetic.

Limitless options for the following applications:

- Table Lamps
- Floor Lamps
- Sconces
- Ceiling Fixtures
- Chandeliers
- Outdoor Fixtures
- General Lighting

Great features and benefits:

- Energy efficient: Up to 85% less energy than halogen lamps
- Very low heat generation
- Long life: 15,000 hours
- Unique filament LED configuration
- UL approved for damp location
- All items approved for enclosed fixtures
- Uniform color



LED
we know light.™

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com

©TCP OCT 2018/WF128300





LED Filament Lamp Specifications

LED	120 Volts	15,000 Hour Life
-----	-----------	------------------

Applications:

Ideal for applications where uniform multi-directional light output is required.

- +

Table Lamps
- +

Floor Lamps
- +

Sconces
- +

Ceiling Fixtures


+

Chandeliers

+

Outdoor Fixtures

Features	Benefits
Up to 85% less energy than halogen alternatives	Instant energy savings
Long life	Minimizes replacement and maintenance costs
Very low heat generation	Seemlessly blends into lighting applications
Unique filament style LED configuration	Combining the benefits of LED lighting with a traditional look
Filament Lamps UL approved for damp location unless otherwise noted— see rating below	Suitable for use in enclosed fixtures Can be used outdoors when protected from elements; withstands humidity indoors/outdoors
ANSI construction compliant	Fits most general applications



Specifications

Input Line Voltage:	120 VAC
Input Power	See Chart
Input Line Frequency	50/60HZ
Minimum Starting Temp	-20°C
Maximum Operating Temp	40°C
CRI	80



LED Filament Lamp Specifications

Warranties and Certifications:	TCP Model	Description	ENERGY STAR	Wattage	Incandescent Wattage Comparison	Lumens	Life (hours)	Color Temp	Base	Volt	LPW	CRI	MOL (inches)	DIA (inches)	Old Item #
c UL us 3 YEAR WARRANTY* *Based on 12 hours use per day	Filament B11 (DECO)														
	LFB11C4027KDAB	B11 3.5W 27K E12 DIM CLEAR		3.5	25	300	15000	2700	E12	120	85.7	80	4.2	1.4	
	LFB11C4025KAD	B11 3.5W 25K E12 DIM AMBER		3.5	25	270	15000	2500	E12	120	77.1	80	4.2	1.4	
	LFB11C4027D★	B11 4.5W 27K E12 DIM CLEAR	●	4.5	40	350	15000	2700	E12	120	77.8	80	3.7	1.4	
	LFB11C4022AD★	B11 4.5W 22K E12 DIM AMBER	●	4.5	40	300	15000	2200	E12	120	66.7	80	3.7	1.4	
	LFB11C6027D★	B11 5W 27K E12 DIM CLEAR		5.5	60	500	15000	2700	E12	120	90.9	80	3.7	1.4	LFB11C6027KDAB
	LFB11C6022AD★	B11 5W 22K E12 DIM AMBER		5.5	60	450	15000	2200	E12	120	90.0	80	3.7	1.4	LFB11C6025KAD
Filament A19															
	LFA4025AD★	A19 5W 25K E26 DIM AMBER		5	40	450	15000	2500	E26	120	90.0	80	4.0	2.3	LFA4025KAD
	LFA6027D◆★	A19 7W 27K E26 DIM CLEAR		7	60	800	15000	2700	E26	120	114.3	80	4.2	2.4	
	LFA6022AD★	A19 7W 22K E26 DIM AMBER		7	60	650	15000	2200	E26	120	114.3	80	4.0	2.3	LFA6025KAD
Filament ST19															
	LFST192522AD◆★	ST19 4.5 22K E26 DIM AMBER		4.5	25	300	15000	2200	E26	120	66.7	80	4.93	2.22	
	LFST2525KAD	ST19 2.7W 25K E26 DIM AMBER	●	2.7	25	210	15000	2500	E26	120	77.8	80	5.8	2.5	
	LFST1940D◆★	ST19 4W 27K E26 DIM CLEAR		4	40	300	15000	2700	E26	120	75.0	80	4.93	2.22	
	LFST4025KAD	ST19 5W 25K E26 DIM AMBER	●	5	40	400	15000	2500	E26	120	80.0	80	5.8	2.5	
	LFST196022AD	ST19 7W 22K E26 DIM AMBER		7	60	640	15000	2200	E26	120	91.4	80	4.93	2.22	
Filament G25															
	LFG254025KAD	G25 3.5W 25K E26 DIM AMBER		3.5	40	300	15000	2500	E26	120	85.7	80	4.5	3.2	
	LFG256025KAD	G25 5W 25K E26 DIM AMBER		5	60	500	15000	2500	E26	120	100.0	80	4.5	3.2	
Filament Tubes															
	LFT6C2525AND★	T6 2W 25K E12 Non Dim AMBER		2	25	160	15000	2500	E12	120	80.0	80	3.8	0.8	
	LFT94025AND◆★	T9 4W 25K E26 Non Dim AMBER		4	40	430	15000	2500	E26	120	107.5	80	5.2	1.2	

◆ Wet Location Rated ★ New Item

Dimmer Compatibility List:

ATTACHE LC-300	LEVITON 1K1305	LUTRON TGCL-153PH-WH
LEVITON DSM10	LUTRON SCL-153PR-WH	LUTRON MACL-153MLH-AL
LEVITON TBL03	LUTRON SCL-153PH-WH	LUTRON MACL-153MR-WH
LEVITON IPL06	LUTRON TGCL-153P	LUTRON MACL-153MLRHW-WH
LEVITON 6674	LUTRON TG-600PH-WH	LUTRON D-600PH-DK**
LEVITON No.6672	LUTRON LG-600PH-WH	

**TCP continues to test our lamps on various dimmers and systems and will update this page as additional compatibility results are available.



TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market — that transforms your surroundings and envelopes you in warmth — lighting that generates beauty with every flip of the switch.

LED

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | F: 877-487-0516