

# SYLVANIA Lamps

## Halogen PAR Lamps

### Application

Halogen PAR lamps are an affordable indoor/outdoor solution for recessed downlights, track lighting, wall washing, and general lighting applications in residential, retail, restaurant, hospitality, office, property management, and school environments.

### Benefits and Features

- Fully dimmable, no special dimmer required
- Superior light quality at an affordable price
- Color temperature range from 2800K to 3000K
- Available in a wide variety of beam angles
- High CRI: 99+

### Electrical

- 12V, 120V, 130V

### Rated Life

- 1000 to 4500 hours

### Warranty

- 30 Day Guarantee

### Certifications and Listings

- RoHS
- CSA
- CSA Energy Verified

Item #

Type

Project

Notes

Date



Ordering Guide

| XX                                           | PARXX                                                         | HAL                         | XX                         | XX                                                                                      | XXXX                                                                                           | XX                                                     | XXXV                       |
|----------------------------------------------|---------------------------------------------------------------|-----------------------------|----------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------|
| Wattage<br>36, 39, 50, 60, 70,<br>75, 80, 90 | Lamp Type<br>PAR16, PAR20, PAR30,<br>PAR30LN, PAR36,<br>PAR38 | Technology<br>HAL = Halogen | IR = Infrared<br>S = Short | Base Type<br>_ = E26<br>GU10 = GU10<br>PAR36 uses screw terminal<br>and spade connector | Beam Spread<br>NFL25, NFL30<br>FL30, FL40<br>NSP6, NSP10, NSP13<br>SP10<br>WFL30, WFL40, WFL50 | LL = Long Life<br>DL = Double Life<br>TL = Triple Life | Voltage<br>12V, 120V, 130V |

Ordering Information

| Item Number | Ordering Abbreviation               | Wattage | Base Type                          | Replaces | Input Voltage | Average Life (hrs) | CCT   | Typical Lumens (lm) | CRI | Beam Angle | Case Qty. |
|-------------|-------------------------------------|---------|------------------------------------|----------|---------------|--------------------|-------|---------------------|-----|------------|-----------|
| 10708       | 39PAR38HALNFL25120V 10/CS 1/SKU     | 39      | E26/50x39                          | *16729   | 120V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 10709       | 39PAR38HALNFL25120V 6/CS 1/SKU      | 39      | E26/50x39                          | *16731   | 120V          | 1500               | 2850K | 550                 | 100 | NFL25      | 6         |
| 10710       | 39PAR38HALNFL25130V 10/CS 1/SKU     | 39      | E26/50x39                          | *16733   | 130V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 10711       | 39PAR38HALNFL252120V 10/CS 2/SKU    | 39      | E26/50x39                          | *16730   | 120V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 10712       | 39PAR38HALNFL25LL120V 10/CS 1/SKU   | 39      | E26/50x39                          | *16580   | 120V          | 2000               | 2800K | 520                 | 100 | NFL25      | 10        |
| 10713       | 39PAR38HALSP10120V 10/CS 1/SKU      | 39      | E26/50x39                          | *16728   | 120V          | 1500               | 2850K | 550                 | 100 | SP10       | 10        |
| 10714       | 39PAR38HALSP10LL120V 10/CS 1/SKU    | 39      | E26/50x39                          | *16579   | 120V          | 2000               | 2800K | 520                 | 100 | SP10       | 10        |
| 10715       | 50PAR38HALNFL25120V 10/CS 1/SKU     | 50      | E26/50x39                          | *16735   | 120V          | 1100               | 2875K | 850                 | 99  | NFL25      | 10        |
| 10716       | 60PAR38HALNFL25120V 10/CS 1/SKU     | 60      | E26/50x39                          | *16738   | 120V          | 1100               | 2900K | 1070                | 99  | NFL25      | 10        |
| 10717       | 60PAR38HALNFL252120V 10/CS 2/SKU    | 60      | E26/50x39                          | *16739   | 120V          | 1100               | 2900K | 1070                | 99  | NFL25      | 10        |
| 10718       | 60PAR38HALNFL25CVP6120V 6/CS 6/SKU  | 60      | E26/50x39                          | *16740   | 120V          | 1100               | 2900K | 1070                | 99  | NFL25      | 6         |
| 10719       | 60PAR38HALSP10120V 10/CS 1/SKU      | 60      | E26/50x39                          | *16737   | 120V          | 1100               | 2900K | 1070                | 99  | SP10       | 10        |
| 10720       | 70PAR38HALNFL25120V 10/CS 1/SKU     | 70      | E26/50x39                          | *16743   | 120V          | 1100               | 2925K | 1305                | 99  | NFL25      | 10        |
| 10721       | 70PAR38HALNFL25RP120V 6/CS 6/SKU    | 70      | E26/50x39                          | *16745   | 120V          | 1100               | 2925K | 1305                | 99  | NFL25      | 6         |
| 10722       | 70PAR38HALNFL25TWIN120V 10/CS 2/SKU | 70      | E26/50x39                          | *16744   | 120V          | 1100               | 2925K | 1305                | 99  | NFL25      | 10        |
| 10723       | 70PAR38HALSP10120V 10/CS 1/SKU      | 70      | E26/50x39                          | *16742   | 120V          | 1100               | 2925K | 1305                | 99  | SP10       | 10        |
| 10724       | 70PAR38HALWFL50120V 10/CS 1/SKU     | 70      | E26/50x39                          | *16746   | 120V          | 1100               | 2925K | 1305                | 99  | WFL50      | 10        |
| 10725       | 80PAR38HALNFL25120V 10/CS 1/SKU     | 80      | E26/50x39                          | *16748   | 120V          | 1100               | 2950K | 1545                | 99  | NFL25      | 10        |
| 10726       | 80PAR38HALNFL25120V 6/CS 6/SKU      | 80      | E26/50x39                          | *16750   | 120V          | 1100               | 2950K | 1545                | 99  | NFL25      | 6         |
| 10727       | 80PAR38HALNFL252120V 10/CS 2/SKU    | 80      | E26/50x39                          | *16749   | 120V          | 1100               | 2950K | 1545                | 99  | NFL25      | 10        |
| 10728       | 80PAR38HALSP10120V 10/CS 1/SKU      | 80      | E26/50x39                          | *16747   | 120V          | 1100               | 2950K | 1545                | 99  | SP10       | 10        |
| 10729       | 80PAR38HALWFL50120V 10/CS 1/SKU     | 80      | E26/50x39                          | *16751   | 120V          | 1100               | 2950K | 1545                | 99  | WFL50      | 10        |
| 17182       | 39PAR20HALFL30120V 10/CS 1/SKU      | 39      | E26/24                             | *16104   | 120V          | 1500               | 2850K | 475                 | 100 | FL30       | 10        |
| 17183       | 39PAR20HALFL30130V 10/CS 1/SKU      | 39      | E26/24                             | *16109   | 130V          | 1500               | 2850K | 475                 | 100 | FL30       | 10        |
| 17184       | 39PAR20HALFL302120V 10/CS 2/SKU     | 39      | E26/24                             | *16105   | 120V          | 1500               | 2850K | 475                 | 100 | FL30       | 10        |
| 17185       | 39PAR20HALFL30LL120V 10/CS 1/SKU    | 39      | E26/24                             | *16111   | 120V          | 2000               | 2850K | 450                 | 100 | FL30       | 10        |
| 17186       | 39PAR20HALFL30LL2120V 10/CS 2/SKU   | 39      | E26/24                             | *16112   | 120V          | 2000               | 2850K | 450                 | 100 | FL30       | 10        |
| 17187       | 39PAR20HALSP10120V 10/CS 1/SKU      | 39      | E26/24                             | *16103   | 120V          | 1500               | 2850K | 475                 | 100 | SP10       | 10        |
| 17188       | 39PAR30HALNFL25120V 10/CS 1/SKU     | 39      | E26/24                             | *16118   | 120V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 17189       | 39PAR30HALNFL25130V 10/CS 1/SKU     | 39      | E26/24                             | *16122   | 130V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 17190       | 39PAR30HALNFL25LL120V 10/CS 1/SKU   | 39      | E26/24                             | *16134   | 120V          | 2000               | 2800K | 520                 | 100 | NFL25      | 10        |
| 17191       | 39PAR30HALSP10120V 10/CS 1/SKU      | 39      | E26/24                             | *16117   | 120V          | 1500               | 2850K | 550                 | 100 | SP10       | 10        |
| 17192       | 39PAR30HALSP10130V 10/CS 1/SKU      | 39      | E26/24                             | *16121   | 130V          | 1500               | 2850K | 550                 | 100 | SP10       | 10        |
| 17193       | 39PAR30HALWFL50120V 10/CS 1/SKU     | 39      | E26/24                             | *16119   | 120V          | 1500               | 2850K | 550                 | 100 | WFL50      | 10        |
| 17194       | 39PAR30HALWFL50130V 10/CS 1/SKU     | 39      | E26/24                             | *16123   | 130V          | 1500               | 2850K | 550                 | 100 | WFL50      | 10        |
| 17195       | 50PAR30HALNFL25120V 10/CS 1/SKU     | 50      | E26/24                             | *16125   | 120V          | 1100               | 2875K | 850                 | 99  | NFL25      | 10        |
| 17196       | 60PAR30HALNFL25120V 10/CS 1/SKU     | 60      | E26/24                             | *16128   | 120V          | 1100               | 2875K | 1070                | 99  | NFL25      | 10        |
| 17197       | 60PAR30HALSP10120V 10/CS 1/SKU      | 60      | E26/24                             | *16127   | 120V          | 1100               | 2875K | 1070                | 99  | SP10       | 10        |
| 17198       | 60PAR30HALWFL50120V 10/CS 1/SKU     | 60      | E26/24                             | *16129   | 120V          | 1100               | 2875K | 1070                | 99  | WFL50      | 10        |
| 17604       | 50PAR16HALGU10FLBL120V 6/CS 1/SKU   | 50      | GU10                               | *59075   | 120V          | 2000               | 2850K | 590                 | 100 | FL40       | 6         |
| 17605       | 60PAR16HALNFL30120V 15/CS 1/SKU     | 60      | E26/24                             | *59030   | 120V          | 2000               | 2850K | 650                 | 100 | NFL30      | 15        |
| 17606       | 60PAR16HALNFL30RP120V 6/CS 1/SKU    | 60      | E26/24                             | *59031   | 120V          | 2000               | 2850K | 650                 | 100 | NFL30      | 6         |
| 17607       | 60PAR16HALNSP10120V 15/CS 1/SKU     | 60      | E26/24                             | *59032   | 120V          | 2000               | 2850K | 650                 | 100 | NSP10      | 15        |
| 17879       | 36PAR36HALNSP1312V 12/CS 1/SKU      | 36      | Screw Terminal and Spade Connector | *55090   | 12V           | 4000               | 3000K | 500                 | 100 | NSP13      | 12        |
| 17880       | 36PAR36HALWFL3012V 12/CS 1/SKU      | 36      | Screw Terminal and Spade Connector | *55091   | 12V           | 4000               | 3000K | 500                 | 100 | WFL30      | 12        |
| 18247       | 39PAR30LNHALNFL25120V 10/CS 1/SKU   | 39      | E26/24                             | *16154   | 120V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 18248       | 39PAR30LNHALNFL25130V 10/CS 1/SKU   | 39      | E26/24                             | *16160   | 130V          | 1500               | 2850K | 550                 | 100 | NFL25      | 10        |
| 18249       | 39PAR30LNHALSP10120V 10/CS 1/SKU    | 39      | E26/24                             | *16153   | 120V          | 1500               | 2850K | 550                 | 100 | SP10       | 10        |
| 18250       | 39PAR30LNHALWFL50120V 10/CS 1/SKU   | 39      | E26/24                             | *16156   | 120V          | 1500               | 2850K | 550                 | 100 | WFL50      | 10        |


Ordering Information (continued)

| Item Number | Ordering Abbreviation                   | Wattage | Base Type                          | Replaces | Input Voltage | Average Life (hrs) | CCT    | Typical Lumens (lm) | CRI | Beam Angle | Case Qty. |
|-------------|-----------------------------------------|---------|------------------------------------|----------|---------------|--------------------|--------|---------------------|-----|------------|-----------|
| 18251       | 60PAR30LNHALNFL25 120V 10/CS 1/SKU      | 60      | E26/24                             | *16167   | 120V          | 1100               | 2900K  | 1070                | 99  | NFL25      | 10        |
| 18252       | 60PAR30LNHALSP10 120V 10/CS 1/SKU       | 60      | E26/24                             | *16166   | 120V          | 1100               | 2900K  | 1070                | 99  | SP10       | 10        |
| 18253       | 60PAR30LNHALWFL50 120V 10/CS 1/SKU      | 60      | E26/24                             | *16168   | 120V          | 1100               | 2900K  | 1070                | 99  | WFL50      | 10        |
| 18254       | 60PAR30LNHALWFL502 120V 10/CS 2/SKU     | 60      | E26/24                             | *16169   | 120V          | 1100               | 2900K  | 1070                | 99  | WFL50      | 10        |
| 18255       | 60PAR30LNHALWFL50CVP 6/CS 6/SKU         | 60      | E26/24                             | *16173   | 120V          | 1100               | 2900K  | 1070                | 99  | WFL50      | 6         |
| *59036      | 75PAR16HALNSP10 120V 15/CS 1/SKU        | 75      | E26/24                             | –        | 120V          | 2000               | 2900K  | 900                 | 100 | NSP10      | 15        |
| *16110      | 39PAR20HALSP10DL 120V 10/CS 1/SKU       | 39      | E26 Medium                         | 50W      | 120V          | 3000               | 2800K  | 450                 | 100 | SP10       | 10        |
| *16115      | 39PAR20HALSSP10TL 120V 10/CS 1/SKU      | 39      | E26 Medium                         | 50W      | 120V          | 4500               | 2750K  | 475                 | 99  | SP10       | 10        |
| 16116       | 39PAR20HALSFL30TL 120V 10/CS 1/SKU      | 39      | E26 Medium                         | 50W      | 120V          | 4500               | 2750K  | 475                 | 99  | FL30       | 10        |
| *16126      | 50PAR30HALSWFL50 120V 10/CS 1/SKU       | 50      | E26 Medium                         | 60W      | 120V          | 1500               | 2875K  | 850                 | 99  | WFL50      | 10        |
| *16152      | 50PAR30HALIRSNFL25TL 120V 10/CS 1/SKU   | 50      | E26 Medium                         | 75W      | 120V          | 4500               | 2800K  | 950                 | 99  | NFL25      | 10        |
| *16170      | 60PAR30LNHALSWFL50 120V 6/CS 1/SKU      | 60      | E26 Medium                         | 75W      | 120V          | 1500               | 2900K  | 1070                | 99  | WFL50      | 6         |
| 16552       | 39PAR30LNHALWFL50DL 120V 10/CS 1/SKU    | 39      | E26 Medium                         | 50W      | 120V          | 3000               | 2800K  | 520                 | 100 | WFL50      | 10        |
| *16567      | 50PAR30LNHALIRSWFL50TL 120V 10/CS 1/SKU | 50      | E26 Medium                         | 75W      | 120V          | 4500               | 2800K  | 950                 | 99  | WFL50      | 10        |
| *16590      | 70PAR38HALIRSP10DL 120V 10/CS 1/SKU     | 70      | E26 Medium                         | 90W      | 120V          | 3000               | 2875K  | 1305                | 100 | SP10       | 10        |
| 16591       | 70PAR38HALIRNFL25DL 120V 10/CS 1/SKU    | 70      | E26 Medium                         | 90W      | 120V          | 3000               | 2875K  | 1305                | 100 | FL25       | 10        |
| *16592      | 70PAR38HALIRWFL50DL 120V 10/CS 1/SKU    | 70      | E26 Medium                         | 90W      | 120V          | 3000               | 2875K  | 1305                | 100 | WFL50      | 10        |
| *16597      | 39PAR38HALSNFL25TL 120V 10/CS 1/SKU     | 39      | E26 Medium Skirted                 | 50W      | 120V          | 4500               | 2750K  | 530                 | 99  | NFL25      | 10        |
| *16633      | 39PAR38HALSP10DLTWIN 20/CS 2/SKU        | 39      | E26 Medium Skirted                 | 45W      | 120V          | 3000               | 2800K  | 520                 | 100 | SP10       | 20        |
| 16660       | 90PAR38FLYRP 120V 6/CS 1/SKU            | 90      | E26 Medium                         | –        | 120V          | 2500               | Yellow | –                   | –   | FL30       | 6         |
| 16661       | 90PAR38FLRRP 120V 6/CS 1/SKU            | 90      | E26 Medium                         | –        | 120V          | 2500               | Red    | –                   | –   | FL30       | 6         |
| 16662       | 90PAR38FLARP 120V 6/CS 1/SKU            | 90      | E26 Medium                         | –        | 120V          | 2500               | Amber  | –                   | –   | FL30       | 6         |
| 16663       | 90PAR38FLBRP 120V 6/CS 1/SKU            | 90      | E26 Medium                         | –        | 120V          | 2500               | Blue   | –                   | –   | FL30       | 6         |
| 16665       | 90PAR38FLGRP 120V 6/CS 1/SKU            | 90      | E26 Medium                         | –        | 120V          | 2500               | Green  | –                   | –   | FL30       | 6         |
| 16732       | 39PAR38HALSP10 130V 10/CS 1/SKU         | 39      | E26 Medium Skirted                 | 45W      | 130V          | 1500               | 2850K  | 550                 | 100 | SP10       | 10        |
| *55118      | 50PAR36HALNSP6 12V 12/CS 1/SKU          | 50      | Screw Terminal and Spade Connector | –        | 12V           | 4000               | 3000K  | 700                 | 100 | NSP6       | 12        |
| *55157      | 90PAR38HALSNFL25 120V 10/CS 1/SKU       | 90      | E26 Medium Skirted                 | –        | 120V          | 1500               | 2950K  | 1790                | 99  | NFL25      | 10        |
| *55158      | 90PAR38HALSNFL252 120V 10/CS 2/SKU      | 90      | E26 Medium Skirted                 | –        | 120V          | 1500               | 2950K  | 1790                | 99  | NFL25      | 10        |
| *59020      | 50PAR16HALGU10FLCLAM120V 6/CS 1/SKU     | 50      | GU10                               | –        | 120V          | 1000               | 2850K  | 400                 | 100 | FL40       | 6         |
| *59037      | 60PAR16HALNSP10RP 120V 6/CS 1/SKU       | 60      | E26 Medium                         | –        | 120V          | 2000               | 2850K  | 650                 | 100 | NSP10      | 6         |
| *59038      | 60PAR16HALNFL30 130V 15/CS 1/SKU        | 60      | E26 Medium                         | –        | 130V          | 2000               | 2850K  | 650                 | 100 | NFL30      | 15        |
| 59042       | 75PAR16HALNFL30 130V 15/CS 1/SKU        | 75      | E26 Medium                         | –        | 130V          | 2000               | 2900K  | 900                 | 100 | NFL30      | 15        |
| 59044       | 75PAR16HALNSP10 130V 15/CS 1/SKU        | 75      | E26 Medium                         | –        | 130V          | 2000               | 2900K  | 900                 | 100 | NSP10      | 15        |
| *59076      | 35PAR16HALGU10FLBL 120V 6/CS 1/SKU      | 35      | GU10                               | –        | 120V          | 3000               | 2750K  | 280                 | 100 | FL30       | 6         |
| *59095      | 35PAR16HALFLSBL120V 6/CS 1/SKU          | 35      | E26                                | –        | 120V          | 2000               | 2750K  | 300                 | 100 | FL35       | 6         |
| *59094      | 50PAR16HALFLSBL120V 6/CS 1/SKU          | 50      | E26                                | –        | 120V          | 2000               | 2800K  | 450                 | 100 | FL35       | 6         |


\*Once inventory is depleted, NAED will be obsolete.

## Physical Information


| Lamp Description | (A) Diameter in (mm) | (B) Height in (mm) |
|------------------|----------------------|--------------------|
| PAR16            | 2 (50.8)             | 2.88 (73.03)       |
| PAR16 GU10       | 2 (50.8)             | 2.2 (56.8)         |
| PAR20            | 2.5 (63.5)           | 3.1 (79.4)         |
| PAR30            | 3.75 (95.3)          | 3.6 (92.1)         |
| PAR30LN          | 3.75 (95.3)          | 4.5 (119.06)       |
| PAR36            | 4.5 (114.3)          | 2.75 (69.9)        |
| PAR38            | 4.75 (120.7)         | 5.3 (134.9)        |




PAR16 GU10




PAR16




PAR20




PAR30



PAR30LN



PAR36



PAR38

## Additional Specifications

- Do not use lamp if outer glass is scratched, cracked or damaged in any manner.
- Use only in equipment/fixture specifying this lamp type and operate at the rated voltage and wattage.
- Bulb produces radiant heat. Do not operate in close proximity to combustibles or materials affected by heat or drying.

LEDVANCE LLC  
200 Ballardvale Street  
Wilmington, MA 01887 USA  
Phone 1-800-LIGHTBULB (1-800-544-4828)  
www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.  
All other trademarks are those of their respective owners.  
Licensee of product trademark SYLVANIA in general lighting.  
Specifications subject to change without notice.



Name: \_\_\_\_\_

Email: \_\_\_\_\_

Phone: \_\_\_\_\_

