



A-Shape LED

9.5A19/LED/927/FR/Glass/E26/DIM 1FB T20

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

General information		Power Factor (Nom)	
Base	E26 [Single Contact Medium Screw]		0.7
EU RoHS compliant	Yes	Voltage (Nom)	
Nominal Lifetime (Nom)	15000 h		120 V
Switching Cycle	20000X	Temperature	
		T-Ambient (Max)	45 °C
		T-Ambient (Min)	-20 °C
Light technical		Controls and dimming	
Color Code	927 [CCT of 2700K]	Dimmable	Only with specific dimmers
Beam Angle (Nom)	320 °	Mechanical and housing	
Initial lumen (Nom)	1100 lm	Bulb Finish	Frosted
Color Designation	Warm White (WW)	Bulb Material	Glass
Correlated Color Temperature (Nom)	2700 K	Bulb Shape	A19 (A19)
Luminous Efficacy (rated) (Nom)	115.00 lm/W	Approval and application	
Color Consistency	<4	Energy Certifications	Energy Star
Color Rendering Index (Nom)	90	Product data	
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	9.5A19/LED/927/FR/Glass/E26/DIM 1FB T20
Operating and electrical		EAN/UPC - Product	046677578589
Input Frequency	60 Hz	Order code	578583
Power (Rated) (Nom)	9.5 W	Numerator - Quantity Per Pack	1
Lamp Current (Nom)	80 mA	Numerator - Packs per outer box	10
Wattage Equivalent	75 W		
Starting Time (Nom)	0.5 s		
Warm Up Time to 60% Light (Nom)	0.5 s		

A-Shape LED

Material Nr. (12NC)	929003497904
Net Weight (Piece)	0.073 lb


Dimensional drawing




9.5A19/LED/927/FR/Glass/E26/DIM 1FB T20

Product	D	C
9.5A19/LED/927/FR/Glass/E26/DIM 1FB T20	2-3/8 in	4-3/16 in


Photometric data



General uniform lighting





Light Distribution Diagram



Spectral Power Distribution Colour

A-Shape LED

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

