


## 6.6A 64317C 45-15 PK30D 100/CS 1/SKU



### Product features and benefits

- Low maintenance costs due to long lamp life
- Reliable and consistent light output enhances visibility over the life of the lamp
- FAA approved in conjunction with many OEM fixtures
- Durable construction provides resistance to the effects of vibration
- Broad product portfolio for runway, taxiway, and approach lighting
- IR radiation provides guidance in low visibility conditions
- Flicker-free operation
- Ability to reduce light output when needed
- Mercury-free

### Areas of application

- Airfield Lighting

## Product datasheet

---

### Technical data

#### General product information

Product Number	58910
Product Name	6.6A 64317C 45-15 PK30D 100/CS 1/SKU
Ordering Abbreviation	6.6A 64317C 45-15 PK30D 100/CS 1/SKU
Brand Name	OSRAM
Application	Airfield/Airport
LIF Code	J1/76

#### Electrical data

Nominal Wattage	45 W
Nominal Voltage	6.8 V
Current (A)	6.6 A

#### Light technical data

Light Center Length - LCL (in)	0.63 in
Light Center Length - LCL (mm)	16 mm
Average Rated Life	1500 h


#### Physical attributes

Base	GZ9.5
Bulb Shape	T13,5
Maximum Overall Length (in)	1.205 in
Maximum Overall Length (mm)	56 mm
Diameter d (in)	0.531 in
Diameter d (mm)	13.50 mm
Filament	C-8
Filament Dimensions Length (in)	0.1340 in
Filament Dimensions Length (mm)	3.4 mm
Filament Dimensions Width (in)	0.055 in
Filament Dimensions Width (mm)	1.4 mm

#### Additional product data

Class	C (gas)
-------	---------

## Product datasheet



### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
58910	4008321345493	Folding box (SKU)	1	1.3 in x 1.5 in x 2.7 in	0.1 lb
58910	10046135589109	Shipping box (Case)	100	13.4 in x 7.5 in x 6.1 in	5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.