

# SYLVANIA LED Specialty Lamps



SYLVANIA LED Specialty Lamps are direct replacements for halogen lamps. They are available in a variety of shapes and base types, and in a natural white 3000K.

The compact size of the Specialty Lamps makes them ideal for a variety of applications in both residential and commercial applications, including vehicles, closets, under cabinets, chandeliers, displays, sconces, task lighting, and work lamps.

These bulbs have all the features of your typical LEDs, such as low heat emission, high energy efficiency, and a long rated life of 10,000 or 15,000 hours (L<sub>70</sub>).

## Application Information

### Applications

- Chandeliers
- Closets
- Sconces
- Task lights
- Work lamps

### Application Notes

1. Operating temperatures between -20°C and 45°C.
2. Suitable for damp locations.
3. Not suitable for dimming applications.

## Key Features & Benefits

- Available in a variety of shapes, sizes, and base configurations
- Available in 3000K CCT
- UV and IR free
- Clean design and fully enclosed lamps
- Long life up to 10,000 or 15,000 hours (L<sub>70</sub>)
- Suitable for both residential and commercial applications

## Product Offering

| Bulb Shape | Base Type | Wattage   | CCT   |
|------------|-----------|-----------|-------|
| C7         | E12       | 1         | 3000K |
| G4.5       | E10       | 0.5       | 3000K |
| S6         | E12       | 1         | 3000K |
| S11        | E26       | 1.5       | 3000K |
| T6         | BA15D     | 3.5       | 3000K |
| T6         | E11       | 3.5       | 3000K |
| T6         | G4        | 1, 2, 2.5 | 3000K |
| T6         | R7S       | 12        | 3000K |
| T6         | GY6.35    | 2         | 3000K |
| T6         | G8        | 2, 4, 5   | 3000K |
| T6         | GY8.6     | 2         | 3000K |
| T6         | G9        | 2, 3, 5   | 3000K |
| T6         | WEDGE     | 2         | 3000K |
| T6         | E17       | 2, 4      | 3000K |

## Specifications and Certifications



Specification Data

|             |      |
|-------------|------|
| Catalog #   | Type |
| Project     |      |
| Comments    |      |
| Prepared by |      |

Ordering Guide

|          |                                                                                                                         |   |                                                                                             |   |                          |   |          |    |                   |              |
|----------|-------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------|---|--------------------------|---|----------|----|-------------------|--------------|
| LED      | XX                                                                                                                      | / | G4                                                                                          | / | X                        | / | 8        | 30 | /                 | BL           |
| LED Lamp | Wattage<br>0.5 = 0.5W<br>1 = 1W<br>1.5 = 1.5W<br>2 = 2W<br>2.5 = 2.5W<br>3.5 = 3.5W<br>4 = 4W<br>4.5 = 4.5W<br>12 = 12W |   | Base Type<br>BA15D, E12, E11,<br>E10, G4, GY6.35, G8,<br>GY8.6, G9, R7S, E26,<br>E17, WEDGE |   | F = Frosted<br>_ = Clear |   | CRI= 80+ |    | Color Temperature | Blister Pack |

Ordering Information

| Item Number | Ordering Abbreviation        | Bulb Shape | Bulb Type | Wattage | Lumens (lm) | Replacement Wattage | Finish  | Input Voltage | Avg. Rated Life (L70) | CCT   | CRI | Dimmable |
|-------------|------------------------------|------------|-----------|---------|-------------|---------------------|---------|---------------|-----------------------|-------|-----|----------|
| 74669*      | LED3.5BA15DF830BL 6/CS 1/SKU | T6         | BA15D     | 3.5     | 250         | 25                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74672       | LED1C7F830BL 6/CS 1/SKU      | C7         | E12       | 1       | 30          | 5                   | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74673       | LED1C7830BL 6/CS 1/SKU       | C7         | E12       | 1       | 30          | 5                   | Clear   | 120           | 15,000                | 3000K | 80  | No       |
| 74667*      | LED3.5E11F830BL 6/CS 1/SKU   | T6         | E11       | 3.5     | 250         | 25                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74659*      | LED2.5G4F830BL 6/CS 1/SKU    | T6         | G4        | 2.5     | 190         | 20                  | Frosted | 12            | 15,000                | 3000K | 80  | No       |
| 74665*      | LED0.5G4.5830BL 6/CS 1/SKU   | G4.5       | E10       | 0.5     | 10          | 2                   | Clear   | 6             | 15,000                | 3000K | 80  | No       |
| 74661*      | LED2GY6.35F830BL 6/CS 1/SKU  | T6         | GY6.35    | 2       | 160         | 20                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74660*      | LED2G8F830BL 6/CS 1/SKU      | T6         | G8        | 2       | 160         | 20                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74662*      | LED2GY8.6F830BL 6/CS 1/SKU   | T6         | GY8.6     | 2       | 160         | 20                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74663*      | LED3.5G9F830BL 6/CS 1/SKU    | T6         | G9        | 3.5     | 250         | 25                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74677       | LED12R7S830BL 6/CS 1/SKU     | T6         | R7S       | 12      | 1550        | 150                 | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74670*      | LEDS6F830BL 6/CS 1/SKU       | S6         | E12       | 1       | 30          | 5                   | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74671       | LED1S6830BL 6/CS 1/SKU       | S6         | E12       | 1       | 30          | 5                   | Clear   | 120           | 15,000                | 3000K | 80  | No       |
| 74674       | LED1.5S11F830BL 6/CS 1/SKU   | S11        | E26       | 1.5     | 70          | 10                  | Frosted | 120           | 15,000                | 3000K | 80  | No       |
| 74675       | LED1.5S11830BL 6/CS 1/SKU    | S11        | E26       | 1.5     | 70          | 10                  | Clear   | 120           | 15,000                | 3000K | 80  | No       |
| 74676       | LED2T6830BL 6/CS 1/SKU       | T6         | E17       | 2       | 180         | 20                  | Clear   | 120           | 15,000                | 3000K | 80  | No       |
| 74664*      | LED2WEDGEF830BL 6/CS 1/SKU   | T6         | WEDGE     | 2       | 160         | 20                  | Frosted | 12            | 15,000                | 3000K | 80  | No       |
| 41458       | LED3.5T6E11830BL 6/CS 1/SKU  | T6         | E11       | 3.5     | 350         | 35                  | Clear   | 120           | 10,000                | 3000K | 80  | Yes      |
| 41461       | LED2T6G8830BL 6/CS 1/SKU     | T6         | G8        | 2       | 170         | 20                  | Clear   | 120           | 10,000                | 3000K | 80  | Yes      |
| 41463       | LED4T6E17930B 6/CS 1/SKU     | T6         | E17       | 4       | 350         | 40                  | Clear   | 120           | 15,000                | 3000K | 80  | No       |
| 41459       | LED2T6G4830BL 6/CS 1/SKU     | T6         | G4        | 2       | 160         | 20                  | Clear   | 12            | 10,000                | 3000K | 80  | No       |
| 41462       | LED3.5T6G9830BL 6/CS 1/SKU   | T6         | G9        | 3.5     | 350         | 35                  | Clear   | 120           | 10,000                | 3000K | 90  | Yes      |
| 41464       | LED1T6G4830BL 6/CS 1/SKU     | T6         | G4        | 1       | 90          | 10                  | Clear   | 12            | 10,000                | 3000K | 80  | No       |
| 41465       | LED4.5T6G8830BL 6/CS 1/SKU   | T6         | G8        | 4.5     | 400         | 50                  | Clear   | 120           | 10,000                | 3000K | 80  | Yes      |
| 41466       | LED2T6G9830BL 6/CS 1/SKU     | T6         | G9        | 2       | 160         | 20                  | Clear   | 120           | 10,000                | 3000K | 80  | No       |

\*Once inventory is depleted, NAED will be obsolete


74667 replaced by 41458

74659 replaced by 41459

74663 replaced by 41462

74660 replaced by 41461

## Lamp Dimensions



LEDVANCE LLC

181 Ballardvale Street

Wilmington, MA 01887 USA

Phone 1-800-LIGHTBULB (1-800-544-4828)

www.ledvanceUS.com

SYLVANIA and LEDVANCE are registered trademarks.

All other trademarks are those of their respective owners.

Licensee of product trademark SYLVANIA in general lighting.

Specifications subject to change without notice.

