

Classic filament LEDbulbs

5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap-Base	E26 [Single Contact Medium Screw]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED

Light Technical	
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	330 degree(s)
Luminous Flux	500 lumen
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	90 lm/W
Color Consistency	<4
Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	60 Hz
Power Consumption	5.5 W

Lamp Current (Nom)	62 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	120 V

Temperature	
Ambient temperature range	-20 to +45 °C

Controls and Dimming	
Dimmable	Only with specific dimmers

Mechanical and Housing	
Bulb Finish	Clear
Bulb Material	Glass
Bulb Shape	A19 [A 19mm]


Approval and Application	
Energy Certifications	Energy Star

Classic filament LEDbulbs

EU RoHS compliant	Yes
Product Data	
Order product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
Order code	929002988503
Numerator - Quantity Per Pack	1



Numerator - Packs per outer box	4
Material number (12NC)	929002988503
Full product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
EAN/UPC - Case	50046677565782

Dimensional drawing




Product	D	C
5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20	60 mm	105 mm

Photometric data



Spectral Power Distribution Colour - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20



General uniform lighting - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20



Light Distribution Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

Lumen Maintenance Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

