



LED Designer Deco

16UFO/PER/865/FR/P/E26/ND 4/1PF

Philips LED Designer Deco lamps allow you to maintain a warm, classic light or a modern, chic effect while providing longer life and energy savings

Product data


General Information		Wattage Equivalent	
Cap-Base	E26 [Single Contact Medium Screw]		75 W
Nominal lifetime	15,000 hour(s)	Starting Time (Nom)	0.5 s
Switching Cycle	50,000	Warm-up time to 60% light	0.5 s
Rated Lifetime (Hours)	15,000 hour(s)	Power Factor (Fraction)	0.5
Lighting Technology	LED	Voltage (Nom)	110-240 V
EU RoHS compliant	Yes		
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	Ambient temperature range	-20 °C to 45 °C
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	167 °F
Beam Angle (Nom)	120 degree(s)		
Luminous Flux	1,200 lumen	Controls and Dimming	
Color Designation	Cool Daylight	Dimmable	No
Correlated Color Temperature (Nom)	6500 K		
Luminous Efficacy (rated) (Nom)	75 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Finish	Frosted
Color rendering index (CRI)	80	Bulb Material	Plastic
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	Others
Operating and Electrical		Approval and Application	
Line Frequency	50 to 60 Hz	EyeComfort	Yes
Input Frequency	50 to 60 Hz		
Power Consumption	16 W	Product Data	
Lamp Current (Nom)	230 mA	Order product name	16UFO/PER/865/FR/P/E26/ND 4/1PF
		Order code	571828
		Numerator - Quantity Per Pack	1

LED Designer Deco

Numerator - Packs per outer box	4
Material Nr. (12NC)	929002010625
Full product name	16UFO/PER/865/FR/P/E26/ND 4/1PF
EAN/UPC - Case	50046677571820



EAN/UPC - Product/Case	046677571825
------------------------	--------------

Dimensional drawing




Product	D	C
16UFO/PER/865/FR/P/E26/ND 4/1PF	5-15/16 inch	3-1/16 inch

Photometric data



General uniform lighting - 16UFO/PER/865/FR/P/E26/ND 4/1PF



Light Distribution Diagram - 16UFO/PER/865/FR/P/E26/ND 4/1PF



Spectral Power Distribution Colour - 16UFO/PER/865/FR/P/E26/ND 4/1PF

LED Designer Deco

Lifetime



Life Expectancy Diagram - 16UFO/PER/865/FR/P/E26/ND 4/1PF

Lumen Maintenance Diagram - 16UFO/PER/865/FR/P/E26/ND 4/1PF

