

## SIRIUS HRI 440W



### Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

### Areas of application

- Concert lighting
- Club & Disco

## Product datasheet

### Technical data

#### General product information

|                       |                                                                      |
|-----------------------|----------------------------------------------------------------------|
| Product Number        | 54626                                                                |
| Product Name          | SIRIUS HRI 440W [BULK] 60/CS 60/SKU                                  |
| Ordering Abbreviation | SIRIUS HRI 440W                                                      |
| Brand Name            | OSRAM                                                                |
| Family Brand Name     | SIRIUS HRI                                                           |
| General Description   | 440 Watts, Mercury short arc, with reflector, 41 mm working distance |
| Application           | Moving head projectors                                               |

#### Electrical data

|                 |         |
|-----------------|---------|
| Nominal Wattage | 44000 W |
| Nominal Voltage | 8300 V  |

#### Light technical data

|                         |           |
|-------------------------|-----------|
| Luminous Flux           | 22.000 lm |
| Working Distance a (mm) | 41 mm     |
| Color Temperature       | 7.000 K   |
| Color Rendering Index   | 80        |
| Average Rated Life      | 1.500 h   |

#### Physical attributes

|                 |           |
|-----------------|-----------|
| Bulb Shape      | REFLECTOR |
| Diameter d (mm) | 58 mm     |

#### Additional product data

|                    |          |
|--------------------|----------|
| Operating Position | Any      |
| Forced Cooling     | Required |

### Packaging Information

| Product number | EAN/UPC       | Packaging           | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 54626          | 4052899259096 | Folding box (SKU)   | 1        |                              |              |
| 54626          | 4052899259102 | Shipping box (Case) | 2        | 7.3 in x 3.8 in x 5.5 in     | 1.1 lb       |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.