

SIRIUS HRI 280W RO



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert lighting
- Club & Disco

Technical data

General product information

Product Number	54498
Product Name	SIRIUS HRI 280W BULK VS60 60/CS 60/SKU
Ordering Abbreviation	SIRIUS HRI 280W RO
Brand Name	OSRAM
Family Brand Name	SIRIUS HRI
General Description	280W, Mercury vapor, reflector
Application	Moving head fixtures

Electrical data

Nominal Wattage	280 W
Nominal Voltage	70 V
Current (A)	4 A

Light technical data

Luminous Flux	11500 lm
Working Distance a (mm)	35.5 mm
Color Temperature	7800 K
Color Rendering Index	78
Average Rated Life	2000 h

Physical attributes

Bulb Shape	REFLECTOR
Length l (mm)	54.5 mm
Length l max. (in)	2.46 in
Diameter d (in)	2.008 in
Diameter d (mm)	51.00 mm
Electrode Gap - cold (mm)	0.9 mm

Additional product data

Operating Position	ANY
Forced Cooling	Required

Product datasheet



Detail

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54498	4052899110397	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.2 lb
54498	4052899110403	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.