



PAR38 LED

13.5PAR38/PER/YELLOW/ND/ULW/G/120V 4/1FB

Philips PAR38 LED Single Optic Lamps with AirFlux Technology improves shopping experience with superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data

General Information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	10950 h
Switching Cycle	50000X

Light Technical	
Color Code	Yellow
Initial lumen (Nom)	- lm
Color Designation	Yellow
Correlated Color Temperature (Nom)	- K
Luminous Efficacy (rated) (Nom)	90 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	-
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	13.5 W
Lamp Current (Nom)	165 mA
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	69 °C


Controls and Dimming	
Dimmable	No

Approval and Application	
Energy Efficiency Label (EEL)	Not applicable
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	- kWh

Product Data	
Order product name	13.5PAR38/PER/YELLOW/ND/ULW/G/120V 4/1FB
EAN/UPC - Product	046677469085
Order code	469080
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929001306613
Net Weight (Piece)	0.385 kg

PAR38 LED


Dimensional drawing




PAR38 120V 13.5-100W YellowK E26 ND

Product	D	C
13.5PAR38/PER/YELLOW/ND/ULW/G/120V 4/1FB	122 mm	132 mm

Photometric data




LEDspots 13,5W E26 PAR38 Yellow




LEDspots 13,5W E26 PAR38 Yellow

Lifetime



10K



10K

PAR38 LED

