



LED PAR20

7PAR20/LED/827-822/F40/GL/DIM 1PK 6/1

Philips is driving the switch to energy-efficient solutions. Upgrade your track and accent lights with our small diameter reflectors for instant energy savings and unbeatable quality. Available in both Glass and Plastic casings, Philips LED Par20s are the ideal replacement for halogen.


Product data

General Information		Wattage Equivalent	
Base	E26 [Single Contact Medium Screw]	Starting Time (Nom)	0.5 s
EU RoHS compliant	Yes	Warm Up Time to 60% Light (Nom)	0.5 s
Nominal Lifetime (Nom)	25000 h	Power Factor (Nom)	0.75
Switching Cycle	25000X	Voltage (Nom)	120 V
Technical Type	7-50W	Temperature	
Light Technical		T-Case Maximum (Nom)	82 °C
Color Code	822-827 [tunable warm white]	Controls and Dimming	
Beam Angle (Nom)	40 °	Dimmable	Yes
Initial lumen (Nom)	500 lm	Approval and Application	
Luminous Intensity (Nom)	800 cd	Energy Efficiency Label (EEL)	Not applicable
Color Designation	Warm White (WW)	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	2700 K	Energy Consumption kWh/1000 h	- kWh
Luminous Efficacy (rated) (Nom)	71.43 lm/W	Product Data	
Color Consistency	<6	Order product name	7PAR20/LED/F40/827-822/E26/GL/DIM 120V
Color Rendering Index (Nom)	80	EAN/UPC - Product	046677471132
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order code	471136
Operating and Electrical		Numerator - Quantity Per Pack	1
Input Frequency	60 Hz	Numerator - Packs per outer box	6
Power (Rated) (Nom)	7 W		
Lamp Current (Nom)	70 mA		

LED PAR20

Material Nr. (12NC)	929001317304
Net Weight (Piece)	0.135 kg


Dimensional drawing




PAR20 120V 6W-50W 40D 2200-2700K E26 D

Product	D	C
7PAR20/LED/F40/827-822/E26/GL/DIM 120V	63 mm	85.5 mm

Photometric data




Classic PAR20 6W-50W 40D 2200-2700K E26 D




LEDspot PAR20 7W 822 827 500lm 40D

LED PAR20

Lifetime



LEDspot PAR20 7W 500lm



LEDspot PAR20 7W 500lm

