



LED Dimmable EdgeLit Downlights

TCP's Dimmable EdgeLit Downlights are the perfect choice for remodeling or new construction projects. The slim, energy-efficient design is easy to install and offers a rated lifetime of 40,000 hours.

Limitless options for the following applications:

- Retrofits
- Office
- Drop ceilings
- New construction
- Retail
- Remodeling
- Residential
- Hospitality

Great features and benefits:

- Long Life: 40,000 hours
- Direct wire, no recessed can required
- Slim design
- Excellent color consistency (CRI)
- Dimmable
- 6" & 4" diameter sizes
- Highly efficient LEDs and driver
- UL approved for damp locations
- Easy installation
- IC rated
- EdgeLit technology



4" Dimmable EdgeLit Downlight



6" Dimmable EdgeLit Downlight





LED Dimmable EdgeLit Downlight Specifications

LED 40,000 hours average rated life, 120 volts

Applications:

Ideal for dimmable 6" & 4" downlight applications

Perfect for retrofit or new construction downlight applications

Features and Benefits

- Excellent color consistency and CRI
- Smooth, uniform dimming
- Highly efficient LEDs and driver
- Long life: 40,000 hours
- UL approved for damp locations
- Integrated J-box for direct wire application
- Spring loaded tabs for easy installation




Specifications

	11.6W 6"	8.5W 4"
Diameter	6"	4"
Input Line Voltage	120 VAC	120 VAC
Input Power	11.6 W	8.5 W
Input Line Frequency	50/60HZ	50/60HZ
Lamp Life (Rated)	40,000 hrs	40,000 hrs
Minimum Starting Temp	-30°C	-30°C

IC-rated for direct contact with insulation



L12EL6D4027K
L12EL6D4030K
L12EL6D4040K



L9EL4D4027K
L9EL4D4030K
L9EL4D4040K

Item #	Description	Life Hours	Voltage	Wattage	Lumens	LPW	CCT	CRI	Case Qty
6" Dimmable EdgeLit Downlight Retrofits									
L12EL6D4027K	LED 11W 6" EdgeLit Downlight - 2700K	40,000	120	11.6	800	69.0	2700K	80	6
L12EL6D4030K	LED 11W 6" EdgeLit Downlight - 3000K	40,000	120	11.6	825	71.1	3000K	80	6
L12EL6D4040K	LED 11W 6" EdgeLit Downlight - 4000K	40,000	120	11.6	850	73.3	4000K	80	6
4" Dimmable EdgeLit Downlight Retrofits									
L9EL4D4027K	LED 8.5W 4" EdgeLit Downlight - 2700K	40,000	120	8.5	500	58.8	2700K	80	6
L9EL4D4030K	LED 8.5W 4" EdgeLit Downlight - 3000K	40,000	120	8.5	525	61.8	3000K	80	6
L9EL4D4040K	LED 8.5W 4" EdgeLit Downlight - 4000K	40,000	120	8.5	550	64.7	4000K	80	6



RoHS
COMPLIANT

5 YEAR
WARRANTY*

*Based on 12 hours use per day

For the most up-to-date specs, please visit www.tcpi.com

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcpi.com

©TCP JUL 2018/WF120350

LED EdgeLit Dimmer Compatibility

Manufacturer	Item #	L12EL6D40XXK	L9EL4D40XXK
Lutron	AY-600P	Good	Good
	AYCL-1.53P	Good	Good
	CN-600	Good	Good
	D-603PH	Some Flicker	Good
	DV-600P	Good	Good
	DV-603PG	Good	Good
	DVCL-1.53P	Good	Good
	DVCL-1.53PL	Some Flicker	Good
	DVELV-300P	Good	Good
	GL-600H	Good	Good
	GTJ-250M	Good	Good
	LGCL-1.53PL	Good	Good
	LGCL-1.53PL	Good	Good
	MA-600	Good	Good
	MACL-1.53M	Good	Good
	NELV-450	Some Flicker	Some Flicker
	SELV-300P	Good	Good
	TG-600PHLH	Good	Some Flicker
	TGCL-1.53P	Good	Good
	TT-300	Good	Good
	TTCL-100H	Good	Good
Leviton	6631	Good	Good
	6672	Good	Good
	6674	Good	Good
	6674	Good	Good
	6683	Some Flicker	Some Flicker
	6684	Some Flicker	Some Flicker
	6613-P	Good	Good
	6633-P	Good	Good
	IPI06	Good	Good
LeGrand	CD703-PW	Good	Good
	CDIV703-PW	Good	Good
	D703-PTC	Some Flicker	Good
	DIV703-PLA	Some Flicker	Good
	H703PTCCCV6	Good	Good
	HCL453PTCCCV6	Good	Good
Cooper	9530WS	Some Flicker	Some Flicker
	DLC03P	Good	Good

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market — that transforms your surroundings and envelopes you in warmth — lighting that generates beauty with every flip of the switch.

The logo consists of the letters 'LED' in a stylized, white, sans-serif font. The 'L' is a simple vertical line. The 'E' is composed of three horizontal bars. The 'D' is a simple vertical line with a curved top and bottom.

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | F: 877-487-0516