

LED G25

3.8G25/PER/927-922/FR/G/E26/WGX1FB T20



Philips G25 LED Lamps offer energy saving ambience with an elegant effect. Their unique design provides light in all directions, giving lighting designers a long life alternative to standard incandescent sources.

Product data

General Information		Warm Up Time to 60% Light (Nom)	
Base	E26 [Single Contact Medium Screw]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.75
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)	120 V
Switching Cycle	20000X	Temperature	
Technical Type	3.8-40W	T-Case Maximum (Nom)	50 °C
Light Technical		Controls and Dimming	
Color Code	927-922 [CCT of 2700K-2200K]	Dimmable	Yes
Beam Angle (Nom)	300 °	Mechanical and Housing	
Initial lumen (Nom)	350 lm	Bulb Finish	Frosted
Color Designation	Warm Glow(WG)	Approval and Application	
Correlated Color Temperature (Nom)	- K	Energy Efficiency Label (EEL)	Not applicable
Luminous Efficacy (rated) (Nom)	92.00 lm/W	Energy Consumption kWh/1000 h	- kWh
Color Consistency	<4	Product Data	
Color Rendering Index (Nom)	90	Order product name	3.8G25/PER/927-922/FR/G/E26/WGX1FB T20
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	046677549527
Operating and Electrical		Order code	549527
Input Frequency	50 to 60 Hz	Numerator - Quantity Per Pack	1
Power (Rated) (Nom)	3.8 W	Numerator - Packs per outer box	10
Lamp Current (Nom)	45 mA	Material Nr. (12NC)	929001969904
Wattage Equivalent	40 W		
Starting Time (Nom)	0.5 s		

LED G25

Lifetime



15K LED

15K LMP

